

BALL PEEN HAMMERS

Ball Peen Hammer (Fiberglass Handle)



Hammer has a fiberglass handle with cushioned rubber grip that is firmly bonded to the head.

5120-00-061-8541	8oz head weight, 12" length	EA	\$8.95
5120-00-061-8542	12oz head weight, 13" length	EA	\$9.74
5120-00-061-8543	16-oz head, 14-1/2" length	EA	\$9.04
5120-00-061-8545	Head Weight 24oz Length 15"	EA	\$12.32
5120-00-061-8546	32oz head weight, 16" length	EA	\$11.68

BLACKSMITH'S/ENGINEER'S HAMMERS

Blacksmiths/Engineers Hammer - Octagonal F

Fiberglass handle with a cushioned rubber grip is firmly bonded to head.

5120-00-203-4656	15" length, 2-1/2-lb head.	EA	\$6.50
------------------	----------------------------	----	--------

Blacksmiths/Engineers Hammer - Peen



Heavy-duty hammer has a forged steel head with a corrosion-preventive coating and a polished striking face. Has an octagonal face on one end of the head and a cross peen on the other end. End of the peen is rounded and smooth. Cross peen is at a right angle to the handle axis. Conforms to ANSI B173.3.

Fiberglass handle is firmly bonded to the head.

5120-00-900-6103	3-lb head, 16" overall length	EA	\$10.70
------------------	-------------------------------	----	---------


For Customer Service, call 1-800-488-3111.

CLAW HAMMERS

Claw Hammer

Tubular or forged steel handle has a cushioned leather or rubber grip and is firmly secured to the head.

5120-00-892-6263	7 oz head, 12" length	EA	\$20.75
5120-00-900-6110	13 oz head, 13" length	EA	\$11.52
5120-01-112-8350	16 oz head, 13" length	EA	\$10.83
5120-01-112-8349	20 oz head, 13-1/2" length	EA	\$10.83
5120-00-900-6109	20 oz, 13-1/2" length	EA	\$11.04



Carpenter's hammer has a striking end for driving nails and a curved-claw end for removing brads and nails. Forged steel head has a bright polished face.

Tubular or forged steel handle has a cushioned leather or rubber grip and is firmly secured to the head.

5120-00-892-5485	16 oz head, 13" length	EA	\$10.68
------------------	------------------------	----	---------

Hickory handle has a clear lacquer coating and is secured to the head with wedges.

5120-01-112-8351	16 oz, 13" length	EA	\$9.78
------------------	-------------------	----	--------

Claw Hammer (Straight Claw)



Carpenter's hammer has a striking end for driving nails and a straight-claw end for ripping. Forged steel head has a bright polished face.

Fiberglass handle has a cushioned rubber grip and is firmly bonded to the head.

5120-00-892-5744	20 oz head, 14" length	EA	\$9.46
5120-00-900-6113	16 oz head, 13" length	EA	\$9.37

Tubular or forged steel handle has a cushioned leather or rubber grip and is firmly secured to the head.

5120-01-112-8346	16 oz head, 13" length	EA	\$10.66
5120-01-112-8345	20 oz head, 14" length	EA	\$11.91

Nail Puller

Puller has a standard, movable jaw or foot for removing nails up to 12 penny from wood. Also has a box joint and integral handguard, as well as 11 to 14" rammer slides on shank. Overall length is 17 to 20". Made of forged carbon steel. GGG-P-791.

5120-00-542-4828

EA \$15.38

DEAD BLOW HAMMERS**Dead Blow Hammer**

Soft-face hammer has a one-piece urethane coating that completely covers handle and head. Fine metal shot is sealed within a unitized metal canister which virtually eliminates bounce-back.

Stanley Tools P/N 57-530, Trusty-Cook P/N 0 or equal.

Has a 1-1/4" diameter face.

5120-01-071-5356

10 oz head, 10-1/8" length

EA \$12.25

Stanley Tools P/N 57-542, Trusty-Cook P/N S-2 or equal.

Has a 1-1/2" diameter face.

5120-01-032-7496

20 oz head, 12-1/8" length

EA \$16.33

Stanley Tools P/N 57-531, Trusty-Cook P/N 1 or equal.

Has a 1-3/4" diameter face.

5120-01-097-4520

18 oz head, 11-1/4" length

EA \$15.57

Stanley Tools P/N 57-533, Snap-on Tools P/N BC3A, Trusty-Cook P/N 3 or equal.

Has a 2-1/4" diameter face.

5120-01-065-9037

42 oz head, 14-1/4" length

EA \$25.94

Stanley Tools P/N 57-534, Snap-on Tools P/N BC4A, Trusty-Cook P/N 4 or equal.

Has a 2-3/4" diameter face.

5120-01-065-2211

52 oz head, 15-1/4" length

EA \$35.63

**You may fax your order to us 24
hours a day, 7 days a week.**

MALLETS AND MAULS**Rawhide Mallet**

Has a solid rawhide, cylindrical head with firmly glued joints. Head is covered with a moisture-resistant coating. Hickory handle has a clear lacquer coating. GGG-H-33.

5120-00-222-2220

24 oz head, 13-14" length

EA \$29.16

Rubber Mallet

Ideal for automotive body, fender and battery work. Solid, resilient rubber, barrel-shaped head has flat or slightly convex faces. Head has a 2" diameter and is 4" long. Securely bonded hickory handle has a clear lacquer coating. Mallet weighs 18 oz and is 15" long overall. GGG-H-33.

5120-00-293-3399

EA \$7.20

Wood Maul

Laminated, cylindrical head has parallel faces and slightly rounded edges. Steel bands around the head at both ends give added strength and support. Has a 36"-long clear hickory handle. LLL-M-71.

5120-00-926-7117

8" diameter, 10" head length

EA \$65.30

5120-00-926-7116

6" diameter, 8" head length

EA \$46.17

REPLACEMENT HANDLES**Hammer Handle**

Straight-grained hickory handle is coated with clear lacquer. Use the wooden replacement handle with the various hammers listed below. NN-H-93.

For sledge hammers, mauls, engineer's hammers and similar heavy-duty tools.

5120-00-288-6564

15/16 x 1-5/16" Eye End, 36" Length

EA \$4.01

SLEDGE HAMMERS

Sledge Hammer

Sledge hammer has a forged steel head with corrosion-preventive coating and a polished striking face. Has an octagonal face on each end of the head. Conforms to ANSI B173.3.

Fiberglass handle with cushioned rubber grip is firmly bonded to the head.

5120-00-900-6096	Head Weight 8 lb, Length 32"	EA	\$17.99
5120-00-900-6097	Head Weight 10 lb, Length 34"	EA	\$20.46
5120-00-900-6098	Head Weight 12 lb, Length 34"	EA	\$25.49



Hickory handle has a clear lacquer coating. Wedges secure handle to head.

5120-00-265-7462	Head Weight 6 lb, Length 32"	EA	\$11.58
5120-00-251-4489	Head Weight 8 lb, Length 32"	EA	\$12.52
5120-00-243-2957	Head Weight 10 lb, Length 34"	EA	\$14.24
5120-00-293-0887	Head Weight 12 lb, Length 34"	EA	\$16.04
5120-00-230-7843	Head Weight 20 lb, Length 36"	EA	\$23.49

Order On-line with GSA Advantage!,
www.fss.gsa.gov

Sledge Hammer (Peen)



Sledge hammer has a forged steel head with corrosion-preventive coating and a polished striking face. Has an octagonal face on one end of the head and a straight or cross peen as specified on the other end. End of peen is rounded and smooth. Hickory handle has a clear lacquer coating and secures firmly to the head with wedges.

Cross peen.

5120-00-224-4130	12 lb head weight, 34" length	EA	\$17.83
-------------------------	-------------------------------	----	----------------

SOFT-FACE HAMMERS, INSERTS AND HOLDERS

Soft-Face Hammer

Has a solid, square- or barrel-shaped head with two smooth, flat faces. Prevents damage to work surfaces. GGG-H-33.

Brass head is nonmagnetic. Hickory handle is secured to the head with a wedge.


5120-00-242-3908	4 oz head weight, 9" length	EA	\$4.20
-------------------------	-----------------------------	----	---------------

Has a copper head with a hickory or steel handle.

5120-00-608-5558	4 lb head weight, 15" length	EA	\$19.41
-------------------------	------------------------------	----	----------------

SPECIAL PURPOSE HAMMERS

Slide Hammer Assembly



Use to place or remove grounding or lightning rod from the ground. Assembly consists of rod mounting assembly, 5/8" in diameter and 36" long; impact hammer assembly with two handles; and impact disk, 4" in diameter and 1" thick. Cushioned grip reduces shock. Made of steel with a black oxide finish. Owatonna Tool P/N P74-144, PR Machine Works P/N PR725, O.N.E. P/N SH011676, United Tool and Die P/N 052137, Dowley Mfg. P/N 510-Assy, Giefling Project P/N GPI 1676 or equal.

5120-01-013-1676		EA	\$33.74
-------------------------	--	----	----------------

Stoneworkers Hammer



Hammer has a hardened, forged steel head with a polished face and rust-preventive coating. Conforms to ANSI B173.3.

Hand drilling-style hammer has a double octagonal convex face. Comes in the short pattern. Hickory handle has a clear lacquer coating. Hammer has a 4-lb head and is 10-1/2" long.

5120-00-224-4141		EA	\$6.88
-------------------------	--	----	---------------

Welders Hammer

Hammer has a forged steel chipping head and hardened edges. Use for chipping welds and welding slag. GGG-H-35.

Has a straight 5/8" peen with double bevels on one end and a 60 degree punch point on the other end. Coiled steel handle consists of a round steel bar with a securely fastened spiral wire handgrip. Hammer has a 6" head and is 10" long.

5120-00-585-2383

EA \$6.09

TACKERS/STAPLERS**Staple Gun - Compression Type**

Manually operated, compression-type gun drives preformed steel wire staples in strip form onto penetrable materials such as wood or composition board. Steel spring mechanism returns handle to starting position and feeds next staple to driving position, making it easier to operate with one hand. All surfaces are coated to prevent corrosion. Comfortable handgrip design.

Tacker accepts 1/4"-wide round crown staples having 9/32, 3/8, 7/16 and 9/16" leg lengths. Tacker accommodates at least 50 staples. Use for fastening wire, cable and tubing. GGG-T-30.

5120-00-769-8706

EA \$36.09

Tacker accepts 1/2" wide flat crown staples having 1/4, 5/16, 3/8 and 1/2" leg lengths. Tracker accommodates at least 84 staples. Use for posters, labels, tags and building paper.

5120-00-889-1796

EA \$16.08

Tacker accepts 1/2"-wide flat crown staples having 5/16" leg length. Tacker accommodates at least 100 staples. Use for fastening posters, labels, tags and building paper.

5120-00-250-9137

EA \$18.31

**To submit an order
by mail,
please send it to:
GSA Customer Supply Center
National Processing Center
8400 Tatum Road
Palmetto, GA 30268**

Staple Gun - Hammer Type

Hammer-type gun is manually operated and accommodates 140 flat-top staples having 0.05" gauges, with 1/4-, 5/16-, 3/8- and 1/2"-long legs. For use on display materials, furniture and mattress fabrication and roofing and carpet installation. Arrow Fastener P/N HT-50A.

5120-01-388-6821

EA \$25.17

Staples

Steel, U-shaped, tacker staples are preformed and have a flat top. Made of rectangular stock, with a 1/2"-wide crown. For use with NSN 5720-01-889-1796.

Heavy-duty staples are for fastening thick or hard-to-pierce materials such as ceiling tile, insulation or tug pads. Use with heavy-duty tacker. Consists of 84 staples per strip.

5315-00-889-2605	Length 1/2", Size 7	BX (contains 5040 EA)	\$5.01
5315-00-889-2602	Length 1/4", Size 4	BX (contains 5040 EA)	\$4.47
5315-00-889-2604	Length 3/8", Size 6	BX (contains 5040 EA)	\$4.73
5315-00-889-2603	Length 5/16", Size 5	BX (contains 5040 EA)	\$5.20

Cadmium-plated or zinc-coated steel staples have arched heads. Rectangular stock, with chisel points and an 11/32"-wide crown. Use with Bostitch H2B hammer-style stapler.

5315-00-132-8303	3/8" long	BX (contains 5000 EA)	\$4.96
------------------	-----------	-----------------------	--------